

DI-524



Wizard

Wireless

WAN

LAN

DHCP

Home

Advanced

Tools

Status

Help

WAN Settings

Please select the appropriate option to connect to your ISP.

Dynamic IP Address

Choose this option to obtain an IP address automatically from your ISP. (For most Cable modem users)

Static IP Address

Choose this option to set static IP information provided to you by your ISP.

PPPoE

Choose this option if your ISP uses PPPoE. (For most DSL users)

Others

PPTP and BigPond Cable

PPTP

(for Europe use only)

BigPond Cable

(for Australia use only)

Dynamic IP

Host Name (optional)

MAC Address - - - - -
(optional)

Primary DNS Address

Secondary DNS Address (optional)

MTU



Apply



Cancel



Help

DI-524



Wizard

Wireless

WAN

LAN

DHCP

Home

Advanced

Tools

Status

Help

LAN Settings

The IP address of the DI-524.

IP Address

192.168.0.1

Subnet Mask

255.255.255.0

Local Domain Name

(optional)



Apply



Cancel



Help

DI-524



Wizard

Wireless

WAN

LAN

DHCP

Home

Advanced

Tools

Status

Help

Wireless Settings

These are the wireless settings for the AP(Access Point)Portion.

Wireless Radio : Enabled Disabled

SSID : RedeCasa

Channel : 11

SSID Broadcast : Enabled Disabled

Security : None WEP WPA WPA-PSK

Passphrase :

Confirmed Passphrase :



Apply



Cancel



Help

DI-524



Wizard

Wireless

WAN

LAN

DHCP

Home

Advanced

Tools

Status

Help

DHCP Server

The DI-524 can be setup as a DHCP Server to distribute IP addresses to the LAN network.

DHCP Server Enabled Disabled

Starting IP Address 192 . 168 . 0 .

Ending IP Address 192 . 168 . 0 .

Lease Time ▾

Static DHCP

Static DHCP is used to allow DHCP server to assign same IP address to specific MAC address.

Enabled Disabled

Name

IP 192 . 168 . 0 .

MAC Address - - - - -

DHCP Client

Apply **Cancel** **Help**

Static DHCP Client List

Host Name	IP Address	MAC Address
-----------	------------	-------------

Dynamic DHCP Client List

Host Name	IP Address	MAC Address	Expired Time
-----------	------------	-------------	--------------

DI-524



Virtual Server

Applications

Filters

Firewall

DMZ

Performance

Home

Advanced

Tools

Status

Help

DMZ

DMZ (Demilitarized Zone) is used to allow a single computer on the LAN to be exposed to the Internet.

Enabled Disabled

IP Address

192 . 168 . 0 .



Apply



Cancel



Help

DI-524



Admin

Time

System

Firmware

Misc

Home

Advanced

Tools

Status

Help

Administrator Settings

Administrators can change their login password.

Administrator (The Login Name is "admin")

Old Password

New Password

Reconfirm Password

User (The Login name is "user")

New Password

Reconfirm Password

Remote Management

Let administrator perform administration task from remote host

Enabled Disabled

IP Address

Port ▼



Apply



Cancel



Help